FORSYTHE Health Care

ForsytheHC.com

SINCE 1911

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Gel Hand Sanitizer

Product Use: Hand Sanitizer

Manufacturer's Name: Forsythe Lubrication Associates Ltd.

Street Address: 120 Chatham Street

City: Hamilton

Province: ON

Postal Code: L8P 2B5

Emergency Telephone: 905-525-7192

SECTION 2 – HAZARDS IDENTIFICATION

Eye Irritation - Category 2A

Flammable Liquids - Category 3

GHS Label Elements:

Hazard pictograms:



Signal word: Warning

Hazard statement(s): Flammable liquid and vapour

Causes serious eye irritation

Precautionary Statements - Prevention:

Wear eye/face protection.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep containers tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical, ventilating and lighting equipment.

Only use non-sparking tools.

Take action to prevent static discharges.

FORSYTHE Health Care

ForsytheHC.com

SINCE 1911

Precautionary Statements – Response:

If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists, get medical advice/attention.

In case of fire, use carbon-dioxide, alcohol foam, water spray or dry chemical to extinguish.

Precautionary Statements – Storage:

Store in a well-ventilated place. Keep cool.

Precautionary Statements – Disposal:

Dispose of contents and containers in accordance with local, national and international regulations.

Physical and Health Hazards Not Otherwise Classified (HNOC):

None.

Precautionary Statements - Storage:

Store in a well-ventilated place. Keep cool.

Precautionary Statements – Disposal:

Dispose of contents and containers in accordance with local, national and international regulation.

Physical and Health Hazards Not Otherwise Classified (HNOC):

None

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Component	% by Wt.	CAS Number	
Ethyl Alcohol	70 - 80	64-17-5	

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

SECTION 4 – FIRST AID MEASURES

EYE CONTACT: Immediately flush eyes with water, for at least 15 minutes or until irritation subsides. If easy to do, remove contact lenses, if worn. If irritation persists, consult a physician.

SKIN CONTACT: Wash contacted skin areas with soap and water. If irritation develops, consult a physician.

Soaked clothing should be removed.

INHALATION: If inhaled, remove to fresh air. If symptoms present or in all cases of doubt, seek medical advice.

INGESTION: Do not induce vomiting. Rinse mouth and throat and give sips of water to dilute. Seek medical

attention.

FORSYTHE Health Care

ForsytheHC.com

SINCE 1911

SECTION 5 – FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Carbon dioxide, water mist, alcohol-resistant foam

UNSUITABLE EXTINGUISHING MEDIA: Water is generally unsuitable for large, open pools of alcohol and may

help spread the fire. Do not use a straight stream of water.

SPECIFIC HAZARDS DURING FIREFIGHTING: Vapours may form explosive mixtures with air. Vapours may travel to

the source of ignition and flash back.

FIRE-FIGHTING PROCEDURES: Water spray may be used to cool unopened containers. Isolate

immediate hazard area and keep unauthorized personnel out. Do not allow contaminated extinguishing water to enter the soil, ground-

water or surface waters.

PROTECTIVE EQUIPMENT FOR FIRE-

FIGHTERS:

Fire-fighters should wear personal protective equipment (PPE) and self-contained breathing apparatus (SCBA), with a full face-piece,

operated in a positive pressure mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURE: Eliminate all ignition sources (no smokes, flares, sparks or flames in the

immediate area). Do not touch or walk through spilled material. Ventilate closed spaces before entering. Evacute and isolate hazard area and keep unauthorized personnel away. Notify authorities if any exposure to the general public or the environment occurs or is likely to occur. Stay uphill and/or upstream. All equipment used when handling

the product must be grounded.

RECOMMENDED EQUIPMENT: Wear chemical protective clothing.

PERSONAL PROTECTION: Wear appropriate protective equipment. Restrict access to

unprotected personnel. Do not breathe vapour or mist. Do not get in

eyes.

Spilled material is slippery.

ENVIRONMENTAL PRECAUTIONS: Stop spill/release if it can be done safely. Prevent spilled material from

entering sewers, storm drains, other unauthorized drainage systems and natural waterways, by using sand, earth or other appropriate barriers. Dike far ahead of the liquid spill for later disposal. Inform the relevant authorities if the product has caused environmental pollution

(sewers, waterways, soil or air).

FORSYTHE Health Care

ForsytheHC.com

SINCE 1911

SECTION 7 - HANDLING and STORAGE

HANDLING PROCEDURES: Put on appropriate personal protective equipment (Section 8). Eating, drinking and

smoking should be prohibited in areas where material is handled, stored and processed. Workers should wash their face and hands before eating, drinking or smoking. Avoid contact with skin, eyes and clothing. Keep containers away from

heat, sparks and open flames. Keep containers closed when not in use.

STORAGE PROCEDURES: Store in a cool, well ventilated area. Take precautions to prevent static electricity

build-up when transferring contents.

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

ENGINEERING MEASURES: The ventilation system should be non-sparking, grounded and separate from

other exhaust ventilation systems. Local ventilation is recommended when

handling.

PERSONAL PROTECTIVE EQUIPMENT: Not required under normal conditions of use

RESPIRATORY PROTECTION: Not required under normal conditions of use

EYE PROTECTION: Use chemical resistant safety glasses/goggles when handling.

SKIN and BODY PROTECTION: Not required under normal conditions of use

HYGIENE MEASURES: Remove contaminated clothing and wash before reuse.

Chemical	ACGIH TWA	ACGIH TWA	ACGIH STEL	ACGIH STEL	ACGIH	ACGIH	ACGIH	CAN-ON
Name	(mg/m3)	(ppm)	(mg/m3)	(ppm)	Carcinogen	Notations	TLV Basis	tmg
ETHYL				1000	А3	A3	URT irr	
ALCOHOL					0			
Chemical	CAN-ONtppm	CAN-ONsmg	CAN-ONsppm	OSHA TWA	OSHA TWA	OSHA STEL	OSHA STEL	OSHA
Name				(mg/m3)	(ppm)	(mg/m3)	(ppm)	Carcinogen
ETHYL				1900	1000			
ALCOHOL				- 0	8			
Chemical	OSHA Skin	OSHA Tables			8			
Name	designation							
ETHYL		1						
ALCOHOL								

⁽C) - Ceiling limit, A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans, A4 - Not Classifiable as a Human Carcinogen,

URT - Upper respiratory tract

BEI - Substances for which there is a Biological Exposure Index or Indices, CNS - Central nervous system, impair - Impairment, irr - Irritation,

FORSYTHE Health Care

ForsytheHC.com

SINCE 1911

The information in the Section above does not list components that might have relevant OSHA Tables (Z1, Z2, Z3), OSHA TWA (mg/m3), OSHA TWA (ppm), ACGIH TWA (ppm), ACGIH Carcinogen, ACGIH Notations and ACGIH TLV Basis regulatory values, if they are present at less than 1%.

SECTION 9 – PHYSICAL and CHEMICAL PROPERTIES

Density	11.53930 lb/gal	
Specific Gravity	1.38271	
% Solids by Weight	0.01270%	
% VOC	5.46309%	
Appearance	Slightly blue gel	
Odor Threshold	N/A	
Odor Description	Fresh	
Ph	6.5-8.5	
Water Solubility	N/A	
Flammability	N/A	
Flash Point Symbol	N/A	
Flash Point	24 °C	
Viscosity	80 - 100 cPs	
Lower Explosion		
Level	N/A	
Upper Explosion	N1/A	
Level	N/A	
Vapour Pressure	N/A	
Vapour Density	N/A	
Freezing Point	N/A	
Melting Point	N/A	
Low Boiling Point	N/A	
High Boiling Point	N/A	
Auto Ignition Temp	N/A	
Decomposition Pt	N/A	
Evapouration Rate	N/A	
Coefficient Water/Oil	N/A	7



SECTION 10 – STABILITY and REACTIVITY

STABILITY: Stable under normal conditions

CONDITIONS TO AVOID: Sources of ignition, extreme temperatures and contact with

incompatible materials

HAZARDOUS POLYMERIZATION/REACTIONS: Vapours may form explosive mixtures with air.

All technical information, recommendations and statements contained herein are based on tests we believe to be reliable. It is offered in good faith but without guarantee. We make no warranty expressed or implied as to the suitability of our product for any particular use in operations not under our direct control. Liability is limited to the net purchase price of the product.

FORSYTHE Health Care

ForsytheHC.com

SINCE 1911

INCOMPATIBLE MATERIALS: Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS

None known

SECTION 11 – TOXICOLOGICAL INFORMATION

Likely Route of Exposure: Inhalation, ingestion, skin contact, eye contact

Aspiration Hazard: No data available
Carcinogenicity: No data available
Germ Cell Mutagenicity: No data available

Reproductive Toxicity: No data available
Respiratory/Skin Sensitization: No data available

Serious Eye Damage/Irritation: Causes serious eye irritation

Skin Corrosion/Irritation: No data available
Specific Target Organ Toxicity - No data available

Repeated Exposure:

Specific Target Organ Toxicity -

Single Exposure:

No data available

Acute Toxicity: May be harmful if swallowed.

The Acute Toxicity Estimate (ATE) for an oral exposure to this mixture is >5000 mg/kg body weight. The Acute Toxicity Estimate (ATE) for a dermal exposure to this mixture is >5000 mg/kg body weight. The Acute Toxicity Estimate (ATE) for

an inhalation (vapour) exposure to this mixture is >20 mg/l.

0000064-17-5 ETHYL ALCOHOL

Inhalation can irritate the nose, throat and lungs.

Likely Routes of Exposure: Inhalation, ingestion, skin contact, eye contact

0000064-17-5 ETHYL ALCOHOL

The substance can be absorbed into the body by inhalation of its vapour or by

ingestion.

Potential Health Effects -

Miscellaneous:

0000064-17-5 ETHYL ALCOHOL

The following medical conditions may be aggravated by exposure: liver disease.

Tests in some laboratory animals indicate this compound

may have embryotoxic activity. Tests in animals demonstrate reproductive

toxicity. Ingestion may cause any of the following: stupor

(central nervous system depression), gastrointestinal irritation. If absorbed

through the skin, may be harmful.

LC50 (mouse): Approximately 21000 ppm (4-hour exposure); cited as 39 g/m3

(4-hour exposure) (1, unconfirmed)

LD50 (oral, rat): 7060 mg/kg (41); 10600 mg/kg (41); 13660 mg/kg (37)

LD50 (oral, mouse): 3450 mg/kg (1, unconfirmed)

LD50 (oral, guinea pig): 5560 mg/kg (37)

Toxicity: 0000064-17-5 ETHYL ALCOHOL

All technical information, recommendations and statements contained herein are based on tests we believe to be reliable. It is offered in good faith but without guarantee. We make no warranty expressed or implied as to the suitability of our product for any particular use in operations not under our direct control. Liability is limited to the net purchase price of the product.

For more information, Call 1-800-363-2759 or email: gforsythe@forsythe.on.ca



ForsytheHC.com

SINCE 1911

S gairdneri: 13.0g/l (96hr LC50) Nauplii: 858 g/l (48hr EC50) Ceriodaphnia

dubia: 9.6mg/l (10 day NOEC) Freshwater Fish 250mg/l

(NOEC) Reference: REACH registration Dossier.

Persistence and Degradability: 0000064-17-5 ETHYL ALCOHOL

Readily biodegradable. Half-life in air = 38 h

Bio-accumulative Potential: 0000064-17-5 ETHYL ALCOHOL

Substance has a low potential for bioaccumulation (log Kow3),

Mobility in Soil:No data availableMobility in Soil:No data availableResults of the PBT and vPvBNo data available

Assessment:

SECTION 12 – ECOLOGICAL INFORMATION

ECOTOXICITY:

Ethyl Alcohol

LC50 / 96 HOUR Oncorhynchus mykiss (rainbow trout) > 10,000 mg/l

LC50 / 96 HOUR Pimephales promelas (fathead minnow) > 13,400 mg/l

Growth inhibition / 96 HOURS Chlorella vulgaris (Fresh water algae) 1,000 mg/l

Toxicity Threshold / Pseudomonas putida 6,500 mg/l

PERSISTENCE and DEGRADABILITY:

0000064-17-5 ETHYL ALCOHOL

Readily biodegradable. Half-life in air = 38 h

0000067-63-0 ISOPROPYL ALCOHOL

BIOACCUMULATION:

Bioaccumulation is unlikely

OTHER ADVERSE EFFECTS:

No information available

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: All disposal activities must comply with local, state/provincial and environmental control

regulations. Do not dispose into the environment, in drains or in rivers, ponds, lakes, water

courses or soil.

FORSYTHE Health Care

ForsytheHC.com

SINCE 1911

SECTION 14 – TRANSPORT INFORMATION

	Canadian TDG	U.S. DOT
	Information	Information
UN Number:	UN1987	UN1987
Proper Shipping	ALCOHOLS, N.O.S.	ALCOHOL, N.O.S.
Name:	(Ethanol, Propan-2-ol)	(Ethanol, Propan-2-ol)
Hazard Class:	3	3
Packaging Group:	III	III
Hazardous	No Data Available	No Data Available
Substance (RQ):		
Marine Pollutant:	No Data Available	No Data Available
Note / Special	No Data Available	No Data Available
Provision:		
Toxic-Inhalation	No Data Available	No Data Available
Hazard:	No Data Available	No Data Available

SECTION 15 – REGULATORY INFORMATION

CAS	Chemical Name	% by Weight	Regulation List
0000064-17-5	ETHYL ALCOHOL	65% - 85%	Canada NPRI, DSL, Canada NPRI
			Part 5, IARC Carcinogen, TSCA, Canada
			ON 41 <mark>9, C</mark> anada ON AAQC -
			Ontario Ambiant Air Quality
			Criter <mark>ia, CAN</mark> VOC – Canada <mark>VO</mark> C

The information in the Section above does not list non-hazardous components that might have relevant Canada ON JSL – Canada ON Jurisdictional Screening Level, Canada ON VOC, DSL, TSCA regulatory values, if they are present at less than 2%. Please contact the manufacturer for more information.

SECTION 16 – OTHER INFORMATION

Revision date: JUNE 2020

All technical information, recommendations and statements contained herein are based on tests we believe to be reliable. It is offered in good faith but without guarantee. We make no warranty expressed or implied as to the suitability of our product for any particular use in operations not under our direct control. Liability is limited to the net purchase price of the product.